

Host Connector

- *USB-C / USB 2.0 Type-A

Image Sensor

- 1/2.8" CMOS Sensor (*Sony IMX335 Sensor)

LED Indicators

- **Blue:** In use
- **Purple:** Power on
- **Red:** Mute

Microphone Sampling Rate

- 16KHz

Operating Voltage and Current

- DC 5V / 550 mA $\pm$ 50 mA

Privacy Cover

- No

Protocol

- UVC 1.1 & UAC

Shutter Style

- N/A

Speaker Sampling Rate

- 48KHz

Performance

Audio Microphone

- Built-in omnidirectional microphone

Display FOV (Field of View):

1. **Full Screen Mode:**

- 180°(H), 52°(V)
- 2. **Host Mode:**
 - 360°(H), 124°(H), 53°(V)
- 3. **Dual Host Mode:**
 - 360°(H), 59°(H), 53°(V)
- 4. **Three Speakers Mode:**
 - 59°(H), 53°(V), 71°(H), 51°(V)
- 5. **360° All Around View Mode:**
 - Zoom in/out 1.3X
 - 360°(H) ~ 26°(H) adjustable, 54°(V)
- 6. **Single View Mode:**
 - Zoom in/out 3X
 - 180°(H) ~ 69°(H) adjustable, 89°(V) ~ 37°(V) adjustable

Effective Pixels:

- 1. **Full Screen Mode:**
 - 1920(H) x 540(V), 1920(H) x 540(V)
- 2. **Host Mode:**
 - 1920(H) x 270(V), 1920(H) x 810(V)
- 3. **Dual Host Mode:**
 - 1920(H) x 270(V), 960(H) x 810(V), 960(H) x 810(V)
- 4. **Three Speakers Mode:**
 - 1152(H) x 980(V), 760(H) x 490(V), 760(H) x 490(V)
- 5. **360° All Around View Mode:**
 - 1920(H) x 270(V) ~ 480(H) x 990(V) adjustable
- 6. **Single View Mode:**
 - 1920(H) x 1080(V)

Frame Rate

- 30 FPS

Max Display Resolution

- 30 Hz

Megapixels

- 5 million pixels (5MP) sensor

Output Format

- MJPEG, YUV

Speakerphone

- Built-in single chip

Supported Resolution - Output (MJPEG):

- 1920 x 1080
- 1280 x 720
- 960 x 540
- 640 x 480 / 360
- 320 x 240

Physical Specifications

- **Cable Length:** 78.7 in (200 cm)
- **Color:** White, Black
- **Enclosure Type:** ABS
- **IR Controller:**
 - Battery: AAA x 2
 - Color: Black
- **Lens Kit:**
 - LENS: PC+30%GF(Housing)

- Glass + COC - VCM (Voice Coil Motor): Holder (LCP)
 - Stainless Steel piece / Magnetic Coil
- **Operating Humidity:** < 90% non-condensing
- **Operating Temperature:** 41°F to 104°F (0°C to 40°C)
- **Storage Humidity:** < 90% non-condensing
- **Storage Temperature:** -4°F to 140°F (-20°C to 60°C)
- **Product Dimensions:**
 - Depth: 2.43 in. (6.18 cm)
 - Height: 7.05 in. (17.9 cm)
 - Width: 3.68 in. (9.35 cm)
- **Product Weight:** ~14.13 oz (400 g)

Package Contents

- 1 x JVU368 360° AI-Powered Webcam with Speakerphone
- 1 x Remote Control (JVURC1)
- 2 x AAA Batteries (Attached to the packaging)
- 1 x Detachable Travel Case
- 1 x Quick Installation Guide (QIG)