



360° Panoramic View

Monitor all corners at once without blind spots.



Smart Person Detection

Get instant alerts once a suspicious person is detected.



Multiple Storage Options

Save videos to a microSD card, Reolink NVR, or FTP server.



Multiple Display Modes

Control the view as you like with different display modes.



Dual-Band WiFi

Supports 5/2.4 GHz bands for better range and faster speed.



Two-Way Audio

Real-time interactive communication with the visitors.



2K+ 6MP Super HD

Capture crystal-clear 6MP images/videos.



Flexible Installation Methods


Mount it to a ceiling, a wall, or on a desk for different uses.



Smart Home


Hands-free control with Google Assistant or Alexa.





360° Coverage in One View

Provides a 360° panoramic view to cover your store, office, or other wide areas. Monitor all corners with one camera.



Unfold the World as You Like

Switch to your preferred display mode to see more natural images. Control the view to focus on what you care about.



Sharper Images in 6MP

Offers 6MP crystal-clear images/videos, which is much sharper than traditional 5MP fisheye cameras.



Two WiFi Options, Your Choice

Works with both 5 and 2.4 GHz WiFi bands for a smoother live view and playback. Never worry about network interference.



Flexible Installation


You can mount it to a wall, a ceiling, or on a desktop as needed. More flexible than you think.



Gallery









One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



Privacy in Your Hands

We made it a priority to ensure that your privacy is protected and your data is for your eyes only.





| Model | Fisheye Series W520 | |
|-------------------|-----------------------|--|
| Video & Audio | Image Sensor | 1/2.5" CMOS Sensor |
| | Video Resolution | Default: 2560 x 2560 (6.5 Megapixels)@20fps |
| | Lens | f=1.98mm F=2.0 |
| | Video Format | H.265 |
| | Field of View | Horizontal: 180°; Vertical: 180°; Diagonal: 180° |
| | Day & Night | IR-cut filter with auto-switching |
| | Infrared Night Vision | Up to 8 Meters (26 ft); LED: 3pcs/850nm |
| | Audio | Two-Way Audio |
| Power | DC Power | DC 12.0V=1A, <12W |
| Interface | Power | DC power port |
| | System | Reset Button |
| | Ethernet | 1 x 10 M/100 Mbps; RJ 45 |
| | Storage | microSD card slot (Max. 256GB) |
| | Audio | Built-in Microphone & Speaker |
| Wi-Fi | Wireless Standard | IEEE 802.11a/b/g/n |
| | Operating Frequency | 2.4 GHz/5 GHz |
| | Wireless Security | WPA-PSK/WPA2-PSK |
| Software Features | Frame Rate | Mainstream: 2fps - 25fps(default: 20fps) |
| | | Substream: 4fps - 15fps(default: 10fps) |
| | Code Rate | Mainstream: 4096Kbps-8192Kbps(default: 5120Kbps) |
| | | Substream: 64Kbps - 512Kbps(default: 256Kbps) |
| | Browser Supported | Edge, Chrome, Firefox, Safari |
| | OS Supported | PC: Windows, Mac OS; Smartphone: iOS, Android |
| | Smart Alarm | Motion Detection/Person Detection |
| | Record Mode | Motion Recording (Default); Scheduled Record; 24/7 Recording |
| | Protocols & Standards | HTTPS, SSL, TCP/IP, UDP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS,DDNS, FTP, P2P |
| | Maximal User Access | 20 Users (1 admin account & 19 user accounts); Support up to 12 simultaneous video streams (10 substreams & 2 mainstreams) |
| | Work with | Google Assistant |
| | Temperature | Operating Temperature: -10°C~+55°C (14°F~131°F) |
| Environment | Humidity | Operating Humidity: 10% ~ 90% |
| Size & Weight | Dimension | Ø126x49.2mm |
| | Weight | 293g |
| Warranty | Limited Warranty | 2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/ |





- 1 Microphone
- 2 Daylight Sensor
- 3 Lens

4 3 IR LEDs



- 1 Reset Button
- 2 microSD Card Slot
- 3 Mount Base



1 Power

2 Network

3 Waterproof Lid



Best Companion







Power Extension Cable

microSD Card

Reolink NVR

Download Free Reolink App & Client

Learn more: https://reolink.com/software-and-manual/



Terms and Privacy

Terms and Privacy: Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at <u>reolink.com</u>. Keep out of reach of children.

Limited Warranty

Limited Warranty: This product comes with a 2-year limited warranty. Learn more: https://reolink.com/warranty-and-return/