

Model: UH606


6-In-1 USB-C Hub

with Gigabit Ethernet Port



Highlights

Plug-and-Play USB-C dongle for extending a PC with HDMI, RJ45 Ethernet port, and three USB-A ports, ideal for IT and gaming enthusiasts who need wired network connectivity.



- 1 × HDMI 2.0, 4K 60Hz, 2K 144Hz
- 1 × Upstream PD USB-C Male (5 Gbps)
- 3 × USB-A 3.2 Gen 1 (5 Gbps)
- 1 × Gigabit Ethernet RJ45 Port
- 1 × USB-C Receiving 100W PD
- Plug-and-Play on Windows, Mac, Linux

Hardware Features

Interfaces	Upstream Connection	1 × USB-C 3.2 Gen 1 Male Connector (5 Gbps)
	Video Output	1 × HDMI 2.0
	Video Output Resolutions	4K (4096×2160) 60 Hz
		2K (2560×1440) 144 Hz
		1080P (1920×1080) 240 Hz
	Video Output Modes	Extend, Mirror Android phone supports mirror mode only
Power	USB Ports	3 × USB-A 3.2 Gen 1 Ports (5 Gbps)
	Network	1 × Gigabit RJ45 Port
	Network Feature	Wake on LAN
	Power Input	USB-C Port
	Power Methods	DC / PD
	DC	5~20V 0~5A
Physical	Max Power Consumption (W)	100W if powered by a PD Adapter 10W if powered by the host client's USB Power
	Idle Power Consumption (W)	0.4W
	Color	Silver Gray Color
	Casing	Aluminum ABS



Requirements	Hardware Requirement	Requires a USB-C 3.2 Gen 1 / USB4 / Thunderbolt 3/4 port on the host device
	Compatible OS	Windows 7 or later
		macOS 10.12 or later
		Ubuntu LTS 18.04 or later
		Android 5 or higher
	Driver Installation	ChromeOS R41 or higher
		Auto driver installation for Windows 10/11 PC, Macs with M chipset.
		Manual driver installation may required on other platform.
Reliability	Environment	Operating Temperature: 0~40 °C (-32~104 °F)
		Storage Temperature: -20~70 °C (-10~158 °F)
		Operating Humidity: 20~85% RH non-condensing
		Storage Humidity: 10~90% RH non-condensing
Mechanical	Product Weight	78 g (2.75 oz.)
	Dimension	Main Part :
		113.1×44.2×15.7 mm
		4.45×1.74×0.62 inches
		Cable:
		200 mm
		7.87 inches